

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Web History](#) | [Search settings](#) | [Sign in](#)

USER INTERFACE AND ROTOR SELECTION

Search

[Advanced Search](#)[Web](#) Show options...

Results 1 - 10 of about 66,100 for U

### Fisher Scientific - Scientific Standard

With the latest **user interface** and extensive **rotor selection** providing 23+ **rotor** configurations, meet all processing needs at RCF up to 25000 xg. ...  
[www.fishersci.com/wps/portal/CMSTATIC?href=/...](http://www.fishersci.com/wps/portal/CMSTATIC?href=/...) - [Cached](#)

### [PDF] Thermo Heraeus Centrifuge Package Lit No POD 20088

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Heraeus® Multifuge® X1 centrifuge. With the latest **user interface** and extensive **rotor selection** providing 13 **rotor** configurations, meet all processing needs ...  
[www.wvrsf.com/literature/products/pdf/POD20088.pdf](http://www.wvrsf.com/literature/products/pdf/POD20088.pdf) - [Similar](#)

### Dynamic Runtime Objects: Building Applications Your Users Can ...

A basic rule for good architectures is to keep **user interface** object classes separate from functional .... The user's **rotor selection** is persistent data. ...  
[www.microsoft.com/msj/0797/dynamic.aspx](http://www.microsoft.com/msj/0797/dynamic.aspx) - [Cached](#) - [Similar](#)

### Rotor selection for a Searle-type device to study the rheology of ...

A Blanco - 2007 - Cited by 3 - [Related articles](#)

**User Name:** **Password:** Remember me on this computer, Forgotten password? ... **Rotor selection** for a Searle-type device to study the rheology of paper pulp suspensions ... (c) elastic fibre bending or **interface** frictional resistance; ...  
[linkinghub.elsevier.com/retrieve/pii/S0255270106001000](http://linkinghub.elsevier.com/retrieve/pii/S0255270106001000) - [Similar](#)

### [PDF] Layout 1

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Experience the next generation. With the latest **user interface** and extensive **rotor selection** providing 23+ **rotor** configurations, meet all processing ...  
[www.labrepco.com/docs/CentrifugePromosWeb.pdf](http://www.labrepco.com/docs/CentrifugePromosWeb.pdf)

### [PDF] ControlBD-7FMC2 reference design graphical user interface (GUI)

File Format: PDF/Adobe Acrobat - [Quick View](#)

The Reference Design Kit Graphical **User Interface** (RDK-GUI) provides an .... the first time, the Motor Type **Selection** dialog box appears (see Figure 1. ... the Mechanical Acceleration Rate of the **rotor** during the Ramp UP in RPMs (or Hz) ...  
[www.st.com/stonline/books/pdf/docs/11177.pdf](http://www.st.com/stonline/books/pdf/docs/11177.pdf)

### [PDF] Thermo Scientific Sorvall® WX Ultra Centrifuge Series The New Era ...

File Format: PDF/Adobe Acrobat - [Quick View](#)

The intuitive **user interface** consists of .... Thermo Scientific Sorvall WX Ultra Series **Rotor Selection** Guide. Capacity. Max Speed. Max. RCF k factor ...  
[www.thermo.com/e/Thermo/CMA/PDFs/.../productPDF\\_27.pdf](http://www.thermo.com/e/Thermo/CMA/PDFs/.../productPDF_27.pdf) - [Similar](#)

### [PDF] Microsoft PowerPoint - Integrated design for helicopter rotor

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **selection** of the critical flight cases for the analysis is performed .... **user interfaces**. - data links model. - access rights. - treatment ...  
[www.vivaceproject.com/content/forum/1/2a-8.pdf](http://www.vivaceproject.com/content/forum/1/2a-8.pdf) - [Similar](#)

**BROCFGMTXMX 0609:Layout 1**

Web Images Videos Maps News Shopping Gmail more •

Web History | Search settings | Sign in



ROTOR SELECTION USING AN INTERFACE

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 1,090,000 for I

**[PDF] Fox Delta ST1 Amateur Radio Satellite Antenna Tracking Interface**

File Format: PDF/Adobe Acrobat

An **interface** that connects the **rotors** to the computer. **Rotors** are motor driven mechanical devices ... 7. +12V from **Rotor**. 8. GND. 9. GND. Header **Selection**: ... If you are using adapter board (ST1.A) supplied with the kit at J3, voltage ...  
www.vu2fd.com/projects/images/st1/st1-satellitetracker.pdf - Similar

**LOGic Ham Radio Software Info - Page 6**

PTT **using** serial or parallel port. Can share serial port with radio. Antenna **rotor** support with ... (TRX Manager is not need to **interface** your radio with LOGic.) LOGic's **Rotor** control provides auto **rotor selection** based on band. ...  
www.hosenose.com/logic/infopak/infopak\_page6.asp - Cached

**Spot - Intelligent DXCluster Client for OS X**

The library I was **using** did not work as well as I wanted and I felt it was annoying people ... Display grayline and world maps through the **interface** to DX Atlas. Auto **selection** between two radios and two **rotors** when clicking a DX spot. ...  
www.abrahamnealsoftware.com/ - Cached - Similar

**Rotator Selection - Ham Radio Deluxe Wiki**

Feb 20, 2010 ... Proper **Rotator interface** lubrication with German or Canadian beer is ... antenna and tower **rotor**, the heavy duty **rotor** is design with a ...  
wiki.ham-radio-deluxe.com/index.php?title=Rotator\_Selection - Cached

**[PDF] Electric Rotary Valves**

File Format: PDF/Adobe Acrobat - Quick View

single RS232C **interface using** a daisy chain cable that is available as an option. ... **selection**. Series 11101. Wetted materials. Body: PTFE. **Rotor**: ...  
www.biochemfluidics.com/pdf/Electric\_Rotary\_Valves\_0609.pdf

**AVROT rotator controller version 1.1**

WinOrbit (K8GC) - **using** DDE **interface**; more details later ... jumper **selection**) first and then comes to analogue-digital convertor (10 bits) via internal ...  
www.qsl.net/af4jf/AVROT\_M.htm - Cached

**Rotor selection for a Searle-type device to study the rheology of ...**

by A Blanco - 2007 - Cited by 3 - Related articles  
The torque required to maintain different set speeds of the **rotor** is measured. ... (c) elastic fibre bending or **interface** frictional resistance; ... viscometers and the **selection** of the most appropriate **rotor** was carried out **using** a ...  
linkinghub.elsevier.com/retrieve/pii/S0255270106001000 - Similar

**Remote control antenna rotor system - Patent 6069462**

by E Flynn - 2000 - Related articles

Connected to the micro processor unit 6 through a complex **interface** ... T.V. remote control **selector** representing such channels for effecting **selection** of ...  
www.freepatentsonline.com/6069462.html - Cached - Similar

**[PDF] Dynamic Analysis of Flexible Turbo-Rotor System Using Super-Elements**

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in



USER INTERFACE AND ADD MENU AND HOME MENU

Search

Ar

Web Show options...

Results 21 - 30 of about 4,420 for ADD MENU AND HC

**66 -- Ultracentrifuge - RFQ-0163313 (Archived) - Federal Business ...**

Aug 29, 2005 ... Skip to content, tabs; main **menu**; Accessibility Mode · Federal Business Opportunities · IAE · eGov · USA.gov · **Home** · Getting Started · General Info · Opportunities ... Bookmark this page by right-clicking here and choosing "**Add to ...** must also provide a selection of **rotors** for their **centrifuge**, ...  
www.fedbizopps.gov/spg/DOJ/FBI/PPMS1/RFQ.../listing.html - Cached

**Eppendorf 5430 microcentrifuge**

Eppendorf® 5430 microcentrifuge with 30-place **rotor**, 17500 rpm, 30130 xg, 120 V, 60 Hz. ... 4062-0509. Eppendorf. 22620509. Quantity: **Add to a new shopping list ...** Convenient crossover **centrifuge** combines the best features of a micro and ... 8 different **rotors**, has a compact size, and offers **menu-driven** operation ...  
www.usascientific.com/eppendorf-5430-**centrifuge**.aspx - Cached

**lab Centrifuges Centrifuges.HIGH SPEED.refrigerated centrifuge**

Related Searches: **Centrifuges centrifuge pump centrifuge rotor basket centrifuge ... Menu driven ten programme memory ...**  
www.alibaba.com/product-tpl/109392655/lab\_**Centrifuges**.html - Cached

**Iran after obtaining Maraging Steel to build nuclear bomb casing ...**

Jul 28, 2005 ... Grade 350 Maraging Steel is used for **centrifuges**, including the enrichment **rotor** rolls. The regime is also purchasing through smuggling from ...  
ncr-iran.org/content/view/242/0/ - Cached - Similar

**poq Large Clone Isolation Protocol - Large Clone Maxi-Prep**

File Format: Microsoft Word - **View as HTML**  
Dec 11, 2007 ... 2.3 In the Venonat database (<http://venonat.jgi-psf.org/psf/PSF.home>), ... For BAC or fosmid clones: **add** 110µl of 34mg/ml of Chloramphenicol per sample flask. .... NOTE 1: Make sure the appropriate **rotors** are in the **centrifuges** .... 7.5 Under the QC dropdown **menu**, select whether the isolation passed ...  
www.jgi.doe.gov/.../20071211\_LARGE%20CLONE%20MAXI-PREP+SOP.DOC - Similar

**Training: Safety Education Course Listing**

Bloodborne Pathogens; **Centrifuge Rotor** Safety; Chemical Carcinogen Safety; Chemical Storage and Segregation; Cleaning Up Small Lab Spills ...  
www.ehs.cornell.edu/training/train\_courses.cfm - Cached - Similar

**PDF International Space Station Centrifuge Rotor Models A Comparison ...**

File Format: PDF/Adobe Acrobat - **Quick View**  
**Centrifuge Rotor (CR)** is one of many mechanical systems that need to be modeled and analyzed to ... space vehicle, which will **house** many space-based science experimental systems. .... Using the **menu** of available Bond Graph elements in ...  
ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.../20060056231\_2006257380.pdf

**Hermle Z300/Z300K Universal Mid-Capacity Centrifuge :: Centrifuges ...**

The Hermle Z300 series includes both the ambient Z300 and refrigerated Z300K **centrifuges**. Various fixed angle and swing-out **rotors** are available to process ...  
www.lightlabsusa.com/Hermle-Z300-Z300K-Universal-Mid-Capacity-Centrifuge.html - Cached - Similar

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in

Google

INTERFACE AND ROTOR SELECTION

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 684,000

### **Rotator Selection - Ham Radio Deluxe Wiki**

Feb 20, 2010 ... The HRD Rotator has a large **selection** of rotators you can pick from, ...  
Proper **Rotator interface** lubrication with German or Canadian beer ...  
wiki.ham-radio-deluxe.com/index.php?title=Rotator\_Selection - Cached

### **Rotor selection for a Searle-type device to study the rheology of ...**

by A Blanco - 2007 - Cited by 3 - Related articles

**Rotor selection** for a Searle-type device to study the rheology of paper pulp suspensions ...  
(c) elastic fibre bending or **interface** frictional resistance; ...  
linkinghub.elsevier.com/retrieve/pii/S0255270106001000 - Similar

### **PDF Fox Delta ST1 Amateur Radio Satellite Antenna Tracking Interface**

File Format: PDF/Adobe Acrobat

+12V from **Rotor**. 8. GND. 9. GND. Header **Selection**: Two headers are provided for configuration of this **interface**. H1: A shorting pin on this header will ...  
www.vu2fd.com/projects/images/st1/st1-satellitetracker.pdf - Similar

### **Fisher Scientific - Scientific Standard**

With the latest user **interface** and extensive **rotor selection** providing 23+ **rotor** configurations, meet all processing needs at RCF up to 25000 xg. ...  
www.fishersci.com/wps/portal/CMSTATIC?href=/... - Cached

### **LOGIC Ham Radio Software Info - Page 6**

(TRX Manager is not need to **interface** your radio with LOGIC.) LOGIC's **Rotor** control provides auto **rotor selection** based on band. Any or all **rotors** may be ...  
www.hosenose.com/logic/infopak/infopak\_page6.asp - Cached

### **PDF Thermo Heraeus Centrifuge Package Lit No POD 20088**

File Format: PDF/Adobe Acrobat - View as HTML

Heraeus® Multifuge® X1 centrifuge. With the latest user **interface** and extensive **rotor selection** providing 13 **rotor** configurations, meet all processing needs ...  
www.vwrsp.com/literature/products/pdf/POD20088.pdf - Similar

### **Spot - Intelligent DXCluster Client for OS X**

Display grayline and world maps through the **interface** to DX Atlas. Auto **selection** between two radios and two **rotors** when clicking a DX spot. ...  
www.abrahamnealsoftware.com/ - Cached - Similar

### **Cheminert® HPLC column selector system**

Nitronic 60 stainless steel. PAEK RS-232 **interface** cable ... N60 stainless stator. Valcon H **rotor**. Column **selector** system, 6 columns, N60 stator ...  
www.vici.com/cval/c5sys.php - Cached - Similar

### **PDF Layout 1**

File Format: PDF/Adobe Acrobat - View as HTML

Experience the next generation. With the latest user **interface** and extensive **rotor selection** providing 23+ **rotor** configurations, meet all processing ...  
www.labreppo.com/docs/CentrifugePromosWeb.pdf

Google scholar

ROTOR SELECTION USING A GUI

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

Scholar ☒ New!   ☒ include citations ☒ Results 1 - 10 of al

**[CITATION] Extended Kalman filter for speed sensor-less DTC based on DSP**

X Ma, Y Gui - Intelligent Control and Automation, 2002. Proceedings ..., 2002

Cited by 10 - [Related articles](#) - All 2 versions

**Developing principles of GUI programming using views**

J Bishop, N Horspool - Proceedings of the 35th SIGCSE technical ..., 2004 - portal.acm.org

... The **selection** of methods available depends on the language and library. ... Moreover, some of these, particularly for interaction, are too complex for the average programmer, and the approach of **using a GUI** builder hides the very ... <http://www.cs.up.ac.za/rotor> [7] XUL website. ...

Cited by 18 - [Related articles](#) - BL Direct - All 18 versions

**Design and development of a vertical take-off and landing uninhabited aerial vehicle**

G Avanzini, S D'Angelo, G De ... - Proceedings of the ..., 2003 - Prof Eng Publishing

... operation, following start-up, the engines are automatically controlled by setting the **rotor** speed. ... numeric keypad allows input of navigation data (latitude and longitude coordinates) and **selection** of higher ... is tested by real-time hardware-in-the- loop (HITL) simulation **using a** six ...

Cited by 6 - [Related articles](#) - BL Direct - All 6 versions

**[CITATION] High-performance permanent magnet machine drive for electric vehicle applications **using a** current source inverter**

Z Wu, GJ Su, ORA Universities, TN Knoxville - Industrial Electronics, 2008. IECON ..., 2008

Cited by 1 - [Related articles](#) - All 2 versions

**A new integrated education environment for induction motor drives**

S Tuncer - Computer Applications in Engineering Education, 2009 - interscience.wiley.com

... The developed **GUI** in dSPACE ControlDesk environ- ment to control IM's speed **using rotor**, stator, and air- gap field-orientation methods is shown in Figure 5. Through radio buttons in FOC **Selection** window, which is fit in the left-top corner of the **GUI**, the field- orientation ...

Cited by 2 - [Related articles](#)

**[CITATION] Extended Constant-Torque and Constant-Power Speed Range Control of Permanent Magnet Machine **Using a** Current Source Inverter**

GJ Su, L Tang, Z Wu

[Related articles](#)

**An Integrated Electrical Drive Control Laboratory: Speed Control of Induction Motors**

BESIR DANDIL - 2010 - interscience.wiley.com

... of the **rotor** mechanical speed as rad/s 15 Layout for experimental result of the **rotor** mechanical speed ... After the **selection** of Simulation/Experimental study is completed, one of the Speed Controllers (labeled as number 2 on the **GUI**) is chosen by **using** radio buttons. ...

[Related articles](#)

**The controlling performance analysis of the PMSM taking into consideration of the **rotor** flux harmonics**

JIE Gui-sheng, MA Wei-ming - en.cnki.com.cn

... the torque ripple as disturbance is introduced, then through the reasonable **selection** of the ... operates

Google scholar

USER INTERFACE AND ROTOR SELECTION

Search

Advanced Scholar Search  
Scholar Preferences

Scholar ☐ New!   ☐ Include citations ☐ Results 1 - 10 of all

### Glove based user interaction techniques for augmented reality in an outdoor environment

BH Thomas, W Piekarski - Virtual Reality, 2002 - Springer

... d **Object selection**: the **user** can point at objects and select them, placing them into ... the most primitive, to complex graphical models such as a water heater or helicopter **rotor**. ... The following components are used to implement the **user interface** and applications, used to construct ...

Cited by 36 - Related articles - All 16 versions

### An empirical evaluation of graspable user interfaces: towards specialized, space-multiplexed in

GW Fitzmaurice, W Buxton - ... of the SIGCHI conference on Human ..., 1997 - portal.acm.org  
... moving targets on the computer screen (see Figure 4). The four targets can be considered four **user interface** widgets which a **user** manipulates during a ... Two of the targets (**rotor** and brick) require position and rotation adjustments while the other two targets (stretchable ...

Cited by 121 - Related articles - BL Direct - All 14 versions

### Machine interface system with hierarchical menus allowing user sequencing and selection of m items by actuation of three switches

WY Nielsen, SC Carlin, DA Kaiser - US Patent 5,187,797, 1993 - Google Patents

... 16, 1993 [54] MACHINE INTERFACE SYSTEM WITH HIERARCHICAL MENUS ALLOWING USER SEQUENCING AND SELECTION OF MENU ITEMS BY ACTUATION OF THREE SWITCHES [75] Inventors: Wyn Y. Nielsen, La Jolla; Steven C. Carlin, Spring Valley; Dennis A ...

Cited by 14 - Related articles - All 2 versions

### The conformational structures and dipole moments of ethyl sulfide in the gas phase

DF Plusquellic, RD Suenram, B Mate, JO ... - The Journal of ..., 2001 - link.aip.org

... assigned an electric dipole **selection** rule label (band type label), six asymmetric **rotor** quantum numbers ... the rapid regeneration of the theoretical line set, which permits the **user** to visually ... Additional dialog boxes are used as a convenient **interface** for making step-wise changes ...

Cited by 44 - Related articles - BL Direct - All 5 versions

### Input/output system for computer user interface using magnetic levitation

RL Hollis Jr, SE Salcudean - US Patent 5,146,566, 1992 - Google Patents

... good ergonomic design the availability of kinesthetically stable locations for menu **selection** and frequently ... application of the maglev technology, as well as a new computer-**user interface** system which ... to the fixed structure (stator) as does the more commonly known **rotor** in a ...

Cited by 24 - Related articles - All 2 versions

### A software for the integrated design of wastewater treatment plants

C Gabaldon, J Ferrer, A Seco, P Marzal - Environmental Modelling and ..., 1998 - Elsevier

... The **interface** also provides access to inter-active screens for wastewater inflow and outflow characteristics, design criteria **selection** and results ... The database is managed through interactive screens where the **user** can introduce, delete or modify machinery ...

Cited by 9 - Related articles - BL Direct - All 6 versions

### HoloSketch: a virtual reality sketching/animation tool

MF Deering - ACM Transactions on Computer-Human Interaction ( ..., 1995 - portal.acm.org


... This article describes the functions of the HoloSketch system, as well as our experience so far with more-general issues of head-tracked stereo 3D **user interface** design. Categories

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Sign in](#)

Google scholar

USER INTERFACE AND ADD MENU AND H

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)
**Scholar**  New! ☐ Articles and patents ☐ anytime ☐ include citations ☐ Results 1 - 10 of all
**MMM: a user interface architecture for shared editors on a single screen**

EA Bier, S Freeman - ... 4th annual ACM symposium on **User interface** ..., 1991 - portal.acm.org  
 ... large shared screen. The Colab work suggests that simultaneous access and **user interface** simplicity are important in ... Users can work simultaneously on the same object; one **user** can add characters to a text string while another changes the color of existing characters. ...

Cited by 182 - Related articles - All 5 versions

**UIML: an appliance-independent XML user interface language**

M Abrams, C Phanouriou, AL Batongbacal, SM ... - Computer Networks, 1999 - Elsevier  
 ... In many cases, it is desirable to introduce elements that are not part of the application for usability reasons. For example, a **menu separator** enhances usability but does not add new functionality. ... Create natural separation of **user interface** from non-interface code. ...

Cited by 392 - Related articles - All 9 versions

**JaxoDraw: A graphical user interface for drawing Feynman diagrams\* 1**

D Binosi, L Theussl - Computer physics communications, 2004 - Elsevier  
 ... In fact, the main motivation for writing JaxoDraw was to create a graphical **user interface** for the axodraw package. ... 1. The graphical **user interface** of JaxoDraw at start-up ... New item contains a sub-menu with New graph and New tab entries, the latter allows to add/remove several ...

Cited by 165 - Related articles - All 9 versions

**Designing a menu-based interface to an operating system**

TS Tullis - ACM SIGCHI Bulletin, 1985 - portal.acm.org  
 ... a distance of 2. 5. These distance matrices for the fifteen subjects were then summed to create an overall ... That is also what one might predict from the existing command language **interface** to the operating system, which conforms ... **USER** Usercodes PK Disk Pack PRIV Privilege ...

Cited by 51 - Related articles - All 2 versions

**Display-based competence: towards user models for menu-driven interfaces+**

A Howes, SJ Payne - International Journal of Man-Machine Studies, 1990 - Elsevier  
 ... performance The visual display is one of the most important aspects of a **userinterface**; this much ... To improve the model, we can elaborate the **user's** knowledge of the device, to capture the ... The MacDraw **interface** has a clear perceptual highlighting of mode, allowing a D-TAG to ...

Cited by 72 - Related articles - All 6 versions

**The genetic data environment an expandable GUI for multiple sequence analysis**

SW Smith, R Overbeek, CR Woese, W Gilbert, ... - ..., 1994 - Oxford Univ Press  
 ... These packages tend to add a defined, common **user interface** to a set of programs in order ... This greatly improved the esthetic quality of the **interface**, as well as speeding its development ... file defines how to access remote functions and how to present 'dialog boxes' to the **user** ...

Cited by 364 - Related articles - BL Direct - All 6 versions

**The depth/breadth trade-off in the design of menu-driven user interfaces**


Ji Kiger - International Journal of Man-Machine Studies, 1984 - Elsevier  
 ... 1. Introduction The ubiquity of the **menu-driven user interface** is beginning to stimulate ... )ESIGN OF MENU-DRIVEN **USER INTERFACES** Appendix The Five Tree Structures ... DESIGN OF MENU-DRIVEN **USER** INTERFACES COMPUTER HARDWARE NEWS: PROCESSORS & ...

Google scholar

USER INTERFACE AND ADD MENU AND H

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

Scholar  New!    Results 1 - 10 of all

**Machine interface system with hierarchal menus allowing user sequencing and selection of menu items by actuation of three switches**

WY Nielsen, SC Carlin, DA Kaiser - US Patent 5,187,797, 1993 - Google Patents

... 16, 1993 [54] MACHINE INTERFACE SYSTEM WITH HIERARCHAL MENUS ALLOWING USER SEQUENCING AND SELECTION OF MENU ITEMS BY ACTUATION OF THREE SWITCHES

[75] Inventors: Wyn Y. Nielsen, La Jolla; Steven C. Carlin, Spring Valley; Dennis A ...

Cited by 14 - [Related articles](#) - All 2 versions

**User interfaces for places and things in Croquet learning spaces**

MP McCahill, J Lombardi - 2005 - computer.org

... The creator could also add additional attributes to the metadata, so that the creator is not limited to ... If the user has access rights in both spaces that allow the user to create portal linkages ... for Croquet is in its early stages; here we are describing where the user interface for these ...

Cited by 5 - [Related articles](#) - All 5 versions

**Machine interface with cyclically displayed hierarchical menus and user selection of menu item by actuation of a single switch**

WY Nielsen, SC Carlin, DA Kaiser - US Patent 5,124,942, 1992 - Google Patents

... 23, 1992 [73] [21] [22] [54] MACHINE INTERFACE WITH CYCLICALLY DISPLAYED HIERARCHICAL MENUS AND USER SELECTION OF MENU ITEMS BY ACTUATION OF A SINGLE SWITCH [75] Inventors: Wyn Y. Nielsen, La Jolla; Steven C. Carlin, Spring Valley; Dennis ...

Cited by 4 - [Related articles](#) - All 2 versions

**Development of an LP Rotor Rim-Attachment Cracking Life Assessment Code (LPRimLife)**

DA Rosario, PC Riccardella, SS Tang, R ... - Phase II-Evaluation of ... - Citeseer

... Popular Tags. Add a tag: No tags have been applied to this document. BibTeX | Add To MetaCart. ...

Features built-in to the PC-based code include: • easy-to-use Windows graphical user interface with pulldown menus and dialog boxes • built-in library of stress solutions which ...

Cited by 5 - [Related articles](#) - [Cached](#) - All 2 versions

**Rotor selection interface and method**

RA Hall - US Patent App. 10/724,623, 2003 - Google Patents

... The user interface includes a home menu to access a previously selected rotor and an add menu to add the desired rotor in response to the desired rotor being absent from the home menu. In addition, the add menu includes the set of rotors. ...

All 2 versions

**High-throughput DNA preparation system**

HR Garner, B Armstrong, DA Kramarsky - Genetic Analysis: Biomolecular ..., 1992 - Elsevier

... Add 30 VI of TE buffer or water 19. ... IIQa10:11t1 ; Pipette E just ~ In MUR G ( auidoubn Input Channels t~? Phototrnsrstor Interior k ( ham , In i . ar: t\_ 1r...~ntizut~o., rete Figure 2. The user interface for the DNA prep system is typical Macintosh-windows, menus, slide bars ...

Cited by 6 - [Related articles](#) - All 4 versions

**The use of CAAARS (Computer Aided Assignment of Asymmetric Rotor Spectra) in the analysis of rotational spectra**



Google scholar

"RICHARD HALL" AND MENU AND ROTOR

Search

Advanced Scholar Search  
Scholar Preferences

Scholar ☒ New!    Results 1 - 5 of 5.

### Rotor selection interface and method

RA Hall - US Patent App. 10/724,623, 2003 - Google Patents

... 132 NO SELECT ADD **MENU** 134 DESIRED **ROTOR** IN ADD **MENU**? 136 SELECT **ROTOR**  
140 INITIATE RUN 142. FIG 6 Page 8. ... 154 YES SELECT TYPE **MENU** 158 DESIRED **ROTOR**  
IN TYPE **MENU**? 160 SELECT **ROTOR** 162 C INITIATE RUN 164 FIG 7 Page 9. ...

All 2 versions

### Direct Abstraction of Surface-Bound Hydrogen on Ni (111) by Free Methyl Radicals

ME Castro, RB Hall, CA Mims - J. Phys. Chem. B, 1997 - ACS Publications

... withdrawn into the side of the chamber. MS analyses of the dosing gas were based on spinning **rotor** gauge calibrations of the permanent gases and the measured fragmentation patterns. The remaining (substantial) intensities at m ...

BL Direct - All 6 versions

### Controlled reduction of the acid site density of SAPO-34 molecular sieve by means of silanation disilanol

FDP Mees, P Van Der Voort, P Cool, LRM ... - J. Phys. Chem. ..., 2003 - ACS Publications

... respectively. The 29 Si spectra were recorded using single pulse Bloch decay and cross polarization techniques on samples loaded in 7.5-mm (od) MAS PENCIL **rotors** and spinning at the magic angle at rates of about 5 kHz. ...

Cited by 1 - Related articles - BL Direct - All 5 versions

### 1H, 13C, and 17O Isotropic and Anisotropic Hyperfine Couplings for the Plastosemiquinone Anion Radical

PJ O'Malley - J. Am. Chem. Soc, 1998 - ACS Publications

... bulky substituents near the quinone carbonyl groups such as durosemiquinone which has four methyl group **rotors**, the hydrogen ... Assistance from Dr. Richard Hall, University of Manchester, in the calculation of anisotropic hyperfine couplings is also gratefully acknowledged. ...

Cited by 17 - Related articles - BL Direct - All 3 versions

### [BOOK] UFO testament: anatomy of an abductee

RE Fowler - 2002 - books.google.com

... three-dimensional scenes. It was frightening and one of those traumatic memories that has remained vivid even to this day. Each time that I became sick, ginger ale and chicken soup were usu- ally on the **menu**. However, when I ...

Library Search

☒ Create email alert

"RICHARD HALL" AND MENU AND

Search

Go to Google Home - About Google - About Google Scholar




[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Sign in](#)

Google scholar

"RICHARD HALL" AND ROTOR

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

 Scholar  New! [Articles and patents](#)  anytime  include citations Results 31 - 40 of 40
**[PDF] THE STYLE AND ORGANIZATION OF A TERM/REVIEW-PAPER**

D Susnienė, R Virbickaitė - ppf.ktu.lt

Page 1. KAUNAS UNIVERSITY OF TECHNOLOGY CENTRE OF LANGUAGES Dalia  
 Susnienė, Rūta Virbickaitė THE STYLE AND ORGANIZATION OF A TERM/REVIEW-PAPER  
 Kaunas, 2009 Page 2. Page 3. CONTENTS 1. INSTRUCTIONS ...

Related articles - All 2 versions

**Controlled reduction of the acid site density of SAPO-34 molecular sieve by means of silanation**

FDP Mees, P Van Der Voort, P Cool, LRM ... - J. Phys. Chem. ..., 2003 - ACS Publications  
 ... respectively. The 29 Si spectra were recorded using single pulse Bloch decay and  
 cross polarization techniques on samples loaded in 7.5-mm (od) MAS PENCIL rotors  
 and spinning at the magic angle at rates of about 5 kHz. ...

Cited by 1 - Related articles - BL Direct - All 5 versions

**Expression of cyr61, a growth factor-inducible immediate-early gene.**

TP O'brien, GP Yang, L Sanders, LF ... - Molecular and cellular ..., 1990 - Am Soc Microbiol

... The growing cells (2.5 x 108) were pelleted and suspended in cold spinner  
 MEM-5.0. Cells were separated into fractions of increasing size in a Beckman  
 J2-21 centri-fuge by using a Beckman JE-6B rotor (Sanderson chamber). ...

Cited by 213 - Related articles - All 7 versions

**1H, 13C, and 17O Isotropic and Anisotropic Hyperfine Couplings for the Plastosemiquinone An Radical**

PJ O'Malley - J. Am. Chem. Soc, 1998 - ACS Publications

... bulky substituents near the quinone carbonyl groups such as durosemiquinone which has four  
 methyl group rotors, the hydrogen ... Assistance from Dr. Richard Hall, University of Manchester,  
 in the calculation of anisotropic hyperfine couplings is also gratefully acknowledged. ...

Cited by 17 - Related articles - BL Direct - All 3 versions

**Effects of Prior Aging at 288 deg C in Argon Environment on Creep Response of Carbon Fiber Reinforced PMR-15 Composite with+ or-45 deg Fiber Orientation at 288 ...**

TF Gruters, AIR FORCE INST OF TECH WRIGHT- ... - 2009 - oai.dtic.mil

... researched. Carbon fiber PMR-15 composite makes exceptional structural components and is  
 being used in a wide variety of applications such as horizontal and vertical stabilizers, small  
 fuselage sections, wing skins, rotor blades, fuel tanks, and aircraft engine housings [5]. ...

View as HTML - All 2 versions

**[PDF] Mechanistic characterization of members of the amidohydrolase superfamily**

RM ARBONA - 2006 - txspace.tamu.edu

... Dr. Erik E. Simanek and Dr. Jerry Tsai. Many thanks go to my past and present colleagues from  
 Rauschel's laboratory for their friendship and assistance through the years, especially Richard  
 Hall for all the help with the spelling corrections of this dissertation. Page 7. vii ...

Related articles - View as HTML - All 2 versions

**[BOOK] The Vietnam war: the story and photographs**

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google scholar

"HALL RICHARD" AND ROTOR

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)
**Scholar** ☒ New! ☐ Articles and patents ☐ anytime ☐ include citations ☐ Results 1 - 10 of all
**XEROGRAPHIC APPARATUS WITH MAGNETIC CONVEYOR**

RH Hall - US Patent 3,113,042, 1963 - Google Patents

... One 55 end of each successive coil 12 is connected to a successive segment of commutator switch 13. The other ends of each coil are connected in common to battery 14 and thence to the **rotor** of commutator switch 13 which is driven by a slow speed motor 15. ...

Cited by 6 - Related articles

**Peristaltic pump**

RC Hall - US Patent 5,249,938, 1993 - Google Patents

... Primary Examiner—Richard A. Bertsch Assistant Examiner—Peter Korynyk Attorney, Agent, or Firm—Baker & Daniels [57] ABSTRACT A peristaltic pump has an occluder ring (1) and a **rotor** (5) with drive rollers (16,17) for squeezing a flexible pipe (11) against the ring (1). The ...

Cited by 2 - Related articles - All 6 versions

**Interfacing methods for use in inputting operator-selectable control parameters to a centrifuge instrument**

RA Hall, GJ Mello - US Patent 5,287,265, 1994 - Google Patents

... 2. Description of the Prior Art A centrifuge instrument is a device operable to ex- pose a liquid sample carried within a centrifuge **rotor** to a centrifugal force field. The **rotor** is mounted on the ^5 upper end of a drive spindle that projects into an en- closed chamber. ...

Cited by 2 - Related articles - All 5 versions

**Direct and/or opposing flowpath refrigeration**

MJ Hildebrandt, TW Selby, RH Hall - US Patent 6,786,081, 2004 - Google Patents

... Radially endowed correspon- dent cell pin and **rotor** bottom cup arrangement can for practical purposes provide nearly friction free action, essen- tially unencumbered by water/ice interference. Dry gas blanket delivery system and **rotor** key arrangements are provided as well. ...

Cited by 2 - Related articles - All 2 versions

**Tube for use in a fixed angle centrifuge rotor**

RA Hall - US Patent 5,291,783, 1994 - Google Patents

5,291,783 The present invention is directed to a tube 10 for use in at least one, but preferably, in each of a plurality of fixed angle centrifuge **rotor**(s) able to be used in a given centrifuge instrument. It should be understood that the present invention contemplates the necessity, ...

Related articles - All 3 versions

**Rotor selection interface and method**

RA Hall - US Patent App. 10/724,623, 2003 - Google Patents

Patent Application Publication Jun. 2, 2005 Sheet 3 of 7 US 2005/0120142 A1 44 I/O PORT 54 A/D 52 PROCESSOR 50 CLOCK 56 MEMORY 58 FIG. 3 ... Patent Application Publication Jun. 2, 2005 Sheet 4 of 7 US 2005/0120142 A1 O co o o: oo

All 2 versions

**A COLLECTION OF COMPUTER PROGRAMS FOR THE ROTATIONAL ANALYSIS OF ASYMMETRIC ROTOR SPECTRA**

RT Hall - 1970 - dspace03.it.ohio-state.edu

A series of Fortran IV computer programs has been written which perform most of the calculations

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google scholar

**"HALL RICHARD" AND ROTOR AND MENU**

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)
**Scholar** ☒ New! **Articles and patents** **anytime** **include citations** Results 1 - 4 of 4.
**Rotor selection interface and method**

RA Hall - US Patent App. 10/724,623, 2003 - Google Patents

... 130 DESIRED ROTOR IN HOME MENU? 132 NO SELECT ADD MENU 134 DESIRED ROTOR IN ADD MENU? 136 SELECT ROTOR 140 INITIATE RUN 142. FIG 6 ... 148 DESIRED ROTOR IN HOME MENU? 150 SELECT ADD MENU 152 DESIRED TYPE IN ADD MENU? ...

[All 2 versions](#)**Direct Abstraction of Surface-Bound Hydrogen on Ni (111) by Free Methyl Radicals**

ME Castro, RB Hall, CA Mims - J. Phys. Chem. B, 1997 - ACS Publications

... withdrawn into the side of the chamber. MS analyses of the dosing gas were based on spinning rotor gauge calibrations of the permanent gases and the measured fragmentation patterns. The remaining (substantial) intensities at m ...

[BL Direct](#) - [All 6 versions](#)**Controlled reduction of the acid site density of SAPO-34 molecular sieve by means of silanator disilanation**

FDP Mees, P Van Der Voort, P Cool, LRM ... - J. Phys. Chem. ..., 2003 - ACS Publications

... respectively. The 29 Si spectra were recorded using single pulse Bloch decay and cross polarization techniques on samples loaded in 7.5-mm (od) MAS PENCIL rotors and spinning at the magic angle at rates of about 5 kHz. ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)**[BOOK] Names I Can't Remember: An Assassin" Confesses"**

DR Bergman - 2005 - books.google.com


... Donald D. Streicher Norman W. Tarpley Arthur J. Turkstra Paul E. Vallely Dave Walz John F. Ward Patrick T. Mooney Lester L. Moore Eugene M. Moppert Alton B. Munn Charley Frailey Pat Noonan Eduardo Gonzalez-Droz Freddie Pitner Michael R. Hall Richard W. Powell, Jr. ...

☒ **Create email alert** [New!](#)**"HALL RICHARD" AND ROTOR AND**

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google



"RICHARD HALL" AND ROTOR AND MENU

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 158 for

[tssc - Re:Mk3 Misfire - Is it my Distributor? - MessageBoard](#)

9 posts - 6 authors

**RICHARD HALL** (User). Daily driver. Posts: 141 ... Also with the cap off and **rotor** removed, if I grab the distributors spindle and pull it side to side I can ...

[www.tssc.org.uk/index.php?option=com...func...id... - Cached - Similar](#)

[Direct Abstraction of Surface-Bound Hydrogen on Ni\(111\) by Free ...](#)

by ME Castro - 1997

MS analyses of the dosing gas were based on spinning **rotor** gauge calibrations of the permanent gases and the measured fragmentation patterns. ...

[pubs.acs.org/doi/abs/10.1021/jp971496i](#)

[High-Resolution X-Ray Structure of Isoaspartyl Dipeptidase from ...](#)

by JB Thoden - 2003 - Cited by 20 - Related articles

The experiments were performed with a Beckman Optima XL-A centrifuge and an An 60 Ti **rotor** at 25 °C. The 12 mm double sector charcoal-filled Epson ...

[pubs.acs.org/doi/abs/10.1021/bi034233p](#)

[Show more results from pubs.acs.org](#)

[PDF] [Important Correction!!](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

**Menu** includes, Mediterranean, Asian, European and, American Cuisine. .... slope was too steep for **rotor** clearance. I still don't ....., John Sours, and Director **Richard Hall**. John Houser, a member who was an Army Caribou pilot, ...

[www.c-7acaribou.com/news/v01i13.pdf - Similar](#)

[PDF] [mae someone rich.](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

sr\* Citizens' **Menu**. Thursday, April 28, at 6 p.m. Senior citizens are asked to .... shocks, **rotors**, clothes for. Cass City. Chronicle. Phone 872-201 0 ...

[newspapers.rawson.lib.mi.us/chronicle/1994/.../1994\\_4\\_27\\_1994\\_10.pdf](#)

[enhancements — CADFanatic.com](#)

Along with keyboard shortcuts and the shortcut **menu** (S-key), .... Matthew Wilkins of Magenn Power, creators of the Magenn Air **Rotor** System (MARS). ...

[www.cadfanatic.com/tag/enhancements/ - Cached](#)

[engineering — CADFanatic.com](#)

Sep 28, 2009 ... Along with keyboard shortcuts and the shortcut **menu** (S-key), mouse gestures is yet ....., creators of the Magenn Air **Rotor** System (MARS). ...

[www.cadfanatic.com/tag/engineering/ - Cached](#)

[Show more results from www.cadfanatic.com](#)

[PDF] [The Iwakuni Approach](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

**Richard Hall** and. Sgt. Maj. Matthew B. Brookshire presided over the .... Mess Hall **Menu**. MONDAY, June 16. Manhattan Clam Chowder, Chicken and Rice ...

[www.usmc.mil/unit/mcasiwakuni/Documents/. /2008/Iwakuni080613.pdf](#)

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Web History](#) | [Search settings](#) | [Sign in](#)**"HALL RICHARD" AND ROTOR****Search**[Advanced Search](#)[Web](#) [Show options...](#)

Results 1 - 10 of a

**Centrifuge rotor lid holder device**

**Hall Richard A.** City: Southbury. State: ... A method for securing a centrifuge **rotor** lid to a centrifuge that may not have a hinged door. Claims: ...  
[osdir.com/.../Centrifuge-rotor-lid-holder-device-07090633.html](http://osdir.com/.../Centrifuge-rotor-lid-holder-device-07090633.html) - [Cached](#)

**US Patent 6928860 - Heat-transfer-inhibiting motor and rotor**

**Hall, Richard H.** (Midland, MI). [show on map](#) ... which may include the stand-off mount system and heat-inhibiting **rotor**/stirrer in which is present a ...  
[www.wikipatents.com/US.../heat-transfer-inhibiting-motor-and-rotor](http://www.wikipatents.com/US.../heat-transfer-inhibiting-motor-and-rotor) - [Cached](#)

**Heat-transfer-inhibiting motor and rotor - Patent 6928860**

by MJ Hildebrandt - 2005

Heat-transfer-inhibiting motor and **rotor**. Inventors: Hildebrandt, Marc J. (Midland, MI, US) **Hall, Richard H.** (Midland, MI, US) Selby, Theodore W. (Midland, ...  
[www.freepatentsonline.com/6928860.html](http://www.freepatentsonline.com/6928860.html) - [Cached](#)

**Tube for use in a fixed angle centrifuge rotor - US Patent 5291783 ...**

Inventor. **Hall, Richard A.** ... When a tube is used in a fixed angle **rotor**, i.e., a **rotor** in which the axis of each **rotor** cavity is inclined at a ...  
[www.patentstorm.us/patents/5291783/description.html](http://www.patentstorm.us/patents/5291783/description.html) - [Cached](#)

**USMC/COMBAT HELICOPTER ASSOCIATION - KIA DATABASE**

Aug 24, 2003 ... Sellers was about four **rotor** diameters behind Reap and a little higher. ...  
Comments: COL **Hall, Richard**; CO MAG-16; ; MAJ Reap, Tom; ...  
[www.popasmoke.com/kia/incidents.php?incident\\_id=53](http://www.popasmoke.com/kia/incidents.php?incident_id=53) - [Cached](#) - [Similar](#)

**The Knowledge Bank at OSU: A COLLECTION OF COMPUTER PROGRAMS FOR ...**

by RT Hall - 1970

Title: A COLLECTION OF COMPUTER PROGRAMS FOR THE ROTATIONAL ANALYSIS OF ASYMMETRIC ROTOR SPECTRA. Creators: **Hall, Richard T.** Issue Date: 1970 ...  
<https://kb.osu.edu/dspace/handle/1811/8572> - [Cached](#)

**(WO/1990/015248) PERISTALTIC PUMP**

by R HALL - 1990 - Cited by 2 - Related articles

**HALL, Richard**, Charles [GB/GB]; (GB) (US Only) ... The **rotor** has dogs (12a, 12b) for overriding a bight of the pipe to load it through a gap (10) between a ...  
[www.wipo.int/pctdb/en/wo.jsp?wo=1990015248](http://www.wipo.int/pctdb/en/wo.jsp?wo=1990015248) - [Cached](#)

**Vietnam War how 'Helicopter Valley' got its name**

He started losing **rotor** RPM as he pulled power to move over the ridge. ... Comments: COL **Hall, Richard**; CO MAG-16; ; MAJ Reap, Tom; HAC HMM-164; ...  
[www.flyarmy.org/panel/battle/66071501.HTM](http://www.flyarmy.org/panel/battle/66071501.HTM) - [Cached](#) - [Similar](#)

**Herb Rawdon Papers**

By Albert W. **Hall, Richard H.** Sawyer and James M. McKay. ... Stall on Bending and Torsional Moments Encountered by a Helicopter **Rotor** Blade. ...  
[specialcollections.wichita.edu/collections/ms/81-06/81-6-A.HTML](http://specialcollections.wichita.edu/collections/ms/81-06/81-6-A.HTML) - [Cached](#)

**MAIN. A PROGRAM FOR COMPUTING FREQUENCIES AND RELATIVE INTENSITIES ...**

Web Images Videos Maps News Shopping Gmail more ▾

Web History | Search settings | Sign in



"HALL RICHARD" AND ROTOR AND MENU

Search

Advanced Search

Web Show options...

Results 1 - 10 of about 101 for

### Direct Abstraction of Surface-Bound Hydrogen on Ni(111) by Free ...

by ME Castro - 1997

MS analyses of the dosing gas were based on spinning **rotor** gauge calibrations of the permanent gases and the .... Castro, Miguel E. **Hall, Richard B.** Mims, Charles A. ... Miguel E. Castro · Richard B. Hall · Charles A. Mims. Close **Menu** ...

pubs.acs.org/doi/abs/10.1021/jp971496i

### Controlled Reduction of the Acid Site Density of SAPO-34 Molecular ...

by FDP Mees - 2003 - Cited by 1 - Related articles

The capped **rotors** were kept in a drybox until the 1H NMR data collection commenced. ....

An A. Kennedy, Gordon J. **Hall, Richard B.** Wang, Kun, Vansant, Etienne F. ... Richard B.

Hall · Kun Wang · Etienne F. Vansant. Close **Menu** ...

pubs.acs.org/doi/abs/10.1021/jp0276045

### CIPO - Patent - 2058446

A peristaltic pump has an occluder ring (1) and a **rotor** (5) with ... **HALL, RICHARD C.** (Not Available); BELLHOUSE TECHNOLOGY LIMITED (U.K.) ...

patents.ic.gc.ca/cipo/cpd/en/patent/2058446/summary.html

### CIPO - Patent - 2058446

by RC HALL - 1990 - Cited by 2 - Related articles

Skip all menus (access key: 2) Skip first **menu** (access key: 1) ... (73) Owners (Country):

**HALL, RICHARD C.** (Not Available) ...

patents.ic.gc.ca/details?patent\_number=2058446

### Articles - Hindawi Publishing Corporation

Browse **Menu**. Journals by Subject · Journals by Title. Information **Menu** .... Volume 7

(2002), Issue 4, Pages 479-502; Experimental Study of a **Rotor** .... Iris H. **Hall, Richard J.**

Crosswicks, Joshua D. Berkowitz, and Bruce S. Burnham ...

www.hindawi.com/countries/us/articles.4002.html - **Cached**

### Duxbury Clipper 2009\_16\_09

... Richard W. Davis wn **hall Richard R.** Glendon, 90, WW II veteran Richard R. .... Com Early Dining Wednesday – Sunday 5:00 pm – 6:00 pm Entire **Menu** \$9.95 .... 1000 KW with a tower height of 200 to 260 ft and a **rotor** diameter of 175 ...

www.scribd.com/doc/19813860/Duxbury-Clipper-20091609 - **Cached** - Similar

### team-saggio.de

... nissan maxima brake **rotors** front ersatzteile opel zafira 6778e865 custom porsche 911

turbos subaru nassau f7182d5 entretien opel calibra 1998 volkswagen ...

teca-deutschland.com/index.php?option=com\_akobook...6... - **Cached**

### Patentee Index

Carson, David M.; and **Hall, Richard**. to Kendro Laboratory Products, ..... L.P. Method for customizing device **menu** structures 06904568 Cl. 715-839 ...

www.cs.indiana.edu/svp/5705037/FID133/OG/.../alphaC\_Utility.htm - **Cached**

### The Chef's Resource Site Map

Bliss White Menutile - Ceramic **Menu** Tile - Bliss White Placitile Set of 6 Ceramic Place



"RICHARD HALL" AND ROTOR

Search

Advanced Search

Web Show options...

Results 1 - 10 of abt

[PPT] [Hall's.pptx - Slide 1](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Li # 5257 **Richard Hall**. BP#504 Owner. Hall's Automatic Sprinklers. About Us ... It is a multi-stream **rotor** the size of a spray nozzle. ...

[has.trentbrown.us/flash/Hall's.pptx](http://has.trentbrown.us/flash/Hall's.pptx)

[SMJ Presents Tri-State Customs | Facebook](#)

\*Mechanical (Tune-ups, Brakes, Suspension, Mufflers, **Rotors**, Rad Flush, Etc. ...

estimates and planning all pricing is neg Remember to ask for **Richard Hall** ...

[www.facebook.com/group.php?gid=95586564339](http://www.facebook.com/group.php?gid=95586564339) - Cached

[tssc - Re:Mk3 Misfire - Is it my Distributor? - MessageBoard](#)

9 posts - 6 authors

**RICHARD HALL** (User). Daily driver. Posts: 141 ... Also with the cap off and **rotor** removed, if I grab the distributors spindle and pull it side to side I can ...

[www.tssc.org.uk/index.php?option=com...func...id...](http://www.tssc.org.uk/index.php?option=com...func...id...) - Cached - Similar

[UFO documents and books](#)

May 22, 2010 ... I suppose that above the apparatus, a **rotor**, or some other gyroscopic ...

Jerome Clark, **Richard Hall**, Stanton Friedman, Timothy Good, ...

[www.hyper.net/ufo/docs.html](http://www.hyper.net/ufo/docs.html) - Cached - Similar

[RHOCAR Community > L/w Uprights...](#)

Nov 28, 2005 ... You should chat with **Richard Hall** who now works for Robin Hood, ...

the hub and upright weighs about 13lbs, the **rotor** and caliper weighs ...

[community.rhocar.org/lofiversion/index.php?t9606.html](http://community.rhocar.org/lofiversion/index.php?t9606.html) - Cached - Similar

[Fellows Listing - Fellows](#)

Dr. Pranabesh De Choudhury was the lead specialist in **rotor** dynamics, torsional dynamics and bearing technology at the Elliott Turbomachinery Company for ...

[www.asme.org](http://www.asme.org) | Leadership | Honors & Awards | Fellows - Cached - Similar

[73 MGB-GT](#)

**Richard Hall** and I are rolling down to pick her up Sunday. ... Steering rack boot kit; Tune-

up parts (Points, condenser, **rotor**, cap); Webasto Riviera ...

[www.caroholic.com/73\\_mgbgt.htm](http://www.caroholic.com/73_mgbgt.htm) - Cached - Similar

[NASA Technical Reports Server](#)

**Rotor** Wake Vortex Definition: Initial Evaluation of 3-C PIV Results of the ... Author(s):

Wercinski, Paul; Munk, Michelle; Powell, **Richard**; Hall, Jeff, ...

[ntrs.nasa.gov/search.jsp?N=41&N=252+4294967284&Ns..as...](http://ntrs.nasa.gov/search.jsp?N=41&N=252+4294967284&Ns..as...)

[Golf MK2 starting problem. | Technical matters | Back Room Forum ...](#)

3 posts - 2 authors - Last post: Mar 18, 2003

**Richard Hall**. This sounds to me like a flooding problem of some sort. ... I fitted a new distributor cap and **rotor** arm a couple of weeks ago ...

[www.honestjohn.co.uk/forum/posts/?t=11478](http://www.honestjohn.co.uk/forum/posts/?t=11478) - Cached

[Inventor - Engine](#)